IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application. No.: 10/049,834 Confirmation No. 2328

Applicants : Wolfgang SCHEIBE, et al.

Filed: February 19, 2002

TC/A.U. : 3752

Examiner : Thach Bui

Docket No. : 842FR/50684

Customer No. : 23911

Title: : INJECTION VALVE FOR A COMBUSTION ENGINE

Attention: Office of Petitions

Mail Stop Petition

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

FAX (571) 273-8300

PETITION UNDER 37 C.F.R. § 1.181(a)

Sir:

Applicants respectfully petition the Office to withdraw the holding of abandonment in the above-referenced patent application.

In the above-referenced patent application, the Office issued an Office Action on February 5, 2004. In response to the Office Action, Applicants timely filed a Reply with a one-month Extension of Time on June 2, 2004. A copy of the receipt postcard with the date stamp of the Patent Office on the postcard indicating that the Office received the Reply on June 2, 2004, is enclosed. A billing entry in Applicants' matter file (copy also enclosed) states that on August 11, 2004, Applicants' attorney received a telephone call from the Examiner regarding whether Applicants had filed a response to the Office Action of February 5, 2004. The entry states that Applicants' attorney telephoned the Examiner to advise that a response was filed on June 2, 2004. This billing entry then indicates that Applicants' attorney received a telephone call from the

Examiner advising that the response was timely filed but that the Examiner had mistakenly sent a Notice of Abandonment. Applicants then received the Notice of Abandonment that was mailed by the Office on August 12, 2004. In response, Applicants filed a Request to Withdraw the Notice of Abandonment on August 19, 2004. A copy of the date-stamped receipt postcard for filing of the Request to Withdraw the Notice of Abandonment is also enclosed.

It appears that whereas Applicants timely filed a response to the Office Action of February 5, 2004, in the Reply that was filed, Applicants' representative transposed two numbers of the Application's Serial No. Applicants filed the Reply by listing Application Serial No. 10/049,843 on the Reply instead of Application Serial No. 10/049,834. However, Applicants respectfully note that even though two numbers of the Application Serial No. were transposed, Applicants correctly identified the patent application by other correct identifying information including: the Applicants' names, the Filing Date, the Art Unit, the Examiner's name, the Attorney Docket No., the Title of the application, and the Confirmation No. associated with the patent application.

Therefore, Applicants respectfully submit that they timely replied to the Office Action of February 5, 2004, and identified in the Reply the patent application to which the Reply was associated with sufficient identifying data that should have allowed the Reply to be properly matched with the patent application, or at least, should have caused a further inquiry to Applicants to properly identify the relevant patent application for Applicants' filed Reply. In fact, the billing entry discussed above in Applicants' matter file indicates that the Examiner did ultimately correctly determine that Applicants timely responded to the Office Action of February 5, 2004.

Further, Applicants also respectfully note that M.P.E.P. ¶ 502 states that "[a] minor error in the identification of the application can be corrected by the Office provided the correct identification can be quickly discovered. Examples of minor errors are transposed numbers, typographical errors, and listing the

parent application number. The failure to give any application number is not a minor error." This same M.P.E.P. paragraph further states that it would be of great assistance to the Office if all incoming papers pertaining to a filed application carried the following items: Art Unit Number, Filing Date, name of the Examiner, Title of the Invention, and Confirmation No. Applicants respectfully submit that all of this identifying information regarding the patent application was correctly provided on the Reply and should have allowed the Office to correctly match the paper with the matter file. Applicants respectfully submit that even if the Reply was mis-filed in the wrong application based on Applicants' transposed numbers, that the Examiner in the mis-filed application should have identified that the paper was mis-filed in that application with a further inquiry to Applicants regarding this unrelated Reply. M.P.E.P. ¶ 502 further states that any correspondence not containing the proper identification will be returned to the sender by OIPE. Applicants respectfully submit that Applicants' matter file does not contain any record of the Reply being returned to Applicants as a result of any misidentifying information. In fact, Applicants respectfully submit that based on the billing record entry in Applicants' matter file, the Examiner indicated that the paper had been brought to his attention.

Applicants respectfully submit that even though some period of time has transpired since the Applicants' filing of the Reply and Request for Withdrawal of the Notice of Abandonment, Applicants have subsequently inquired as to the status of the patent application. Applicants' representative filed Status Requests in the Patent Office on February 18, 2005, and October 21, 2005. Unfortunately, again, the Application Serial No. on these papers was transposed in these Status Requests. Copies of the date-stamped receipt postcards for the Status Requests are also enclosed.

Applicants respectfully note that the attorney that was prosecuting this patent application for Applicants left the firm and this matter was re-assigned to the below listed attorney. Upon assuming the responsibility for this application

and performing an on-line status check in the Patent Office's PAIR system, Applicants' new representative discovered the prosecution history discussed above. Applicants' new representative then timely prepared and filed this Petition. Applicants also respectfully note that the Examiner has also left the Patent Office.

Applicants respectfully request that in view of the above history, that the Notice of Abandonment in the above-referenced patent application be withdrawn. Applicants respectfully submit that they timely filed a Reply in response to the Office Action of February 5, 2004, and identified the associated patent application for that Reply with sufficient identifying information such that the Reply could be associated with the patent application. Applicants also respectfully submit that they had received an assurance from the Examiner that the Reply had been brought to his attention. Applicants' representative then further pursued withdrawal of the Notice of Abandonment by filing the Request for Withdrawal of the Notice of Abandonment. Applicants' representative continued to file Status Requests on the application, to which no response was received from the Office.

Therefore, in view of all of the above circumstances, Applicants respectfully submit that they timely filed a Reply to the Office Action of February 5, 2004, and conscientiously pursued determining the status of the application after filing of the Reply. Applicants respectfully request that the Notice of Abandonment be withdrawn from the above-referenced patent application. Applicants respectfully note that whereas a Petition under 37 C.F.R. § 1.181(a) may be dismissed as untimely if not received within two months of the mailing date of the action or notice from which relief is requested, Applicants respectfully request the Office's consideration of Applicants' Petition in view of the above circumstances.

If the Office determines not to grant Applicants' Petition under 37 C.F.R. § 1.181(a), Applicants also respectfully petition the Office to revive the application

under 37 C.F.R. § 1.137(b). Applicants have also enclosed a Petition under 37 C.F.R. § 1.137(b) for the Office's consideration if the Petition under 37 C.F.R. § 1.181(a) is not granted. If a Petition under 37 C.F.R. § 1.137(b) is required, the Office is authorized to charge the petition fee under 37 C.F.R. 1.17(m) of \$1,500.00 to Deposit Account No. 05-1323 (Docket No. 010816.50684US).

The Office is invited to contact the undersigned should there be any questions regarding this Petition. The Office's consideration of this matter is greatly appreciated.

Respectfully submitted,

CROWELL & MORING LLP

Dated: May 15, 2007

Robert L. Grabarek, Jr.

Reg. No. 40,625

Tel.: (949) 263-8400 (Pacific Coast)

Attachments

Intellectual Property Group P.O. Box 14300 Washington, D.C. 20044-4300 Crr . . . ' & Moring LLP

Today's Date: June 2, 2004

Att'y Docket:

842FR/50684

Inventor(s):

Wolfgang SCHEIBE, et al.

Serial No.:

10/049,843

Filing Date:

February 19, 2002

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

▼ Fee Transmittal

☑ Reply

Check No. <u>267965</u>

in the amount of \$110.00

SZ:tlm (010816.50684US; 321432)



DUE DATE: June 5, 2004



CROWELL & MORING LLP VENDOR: 04815 Commissione

Commissioner of Patents and Trademarks - DC 20231

Check No.:

267960

REF#	INV. #	INV. DATE	INV. AMOUNT	INV. DESCRIPTION	AMT. PAID
152634	52804-6:24	05/28/04	110.00	010816.50684US TMS	110.00
	6				



1001 PENNSYLVANIA AVENUE, N.W. WASHINGTON, D.C. 20004-2595

Washington, DC

65-270/550

267960

Check Date 06/01/04

Amount \$110.00*****

Pay:

ONE HUNDRED TEN AND 00/100 USD

Commissioner of Patents and Trademarks

Washington DC

20231

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

FEE TRANSMITTAL	Complete if Known								
I FE HAMISIVIII I AL	Application Number				10/049,843	10/049,843			
for FY 2004	F	iling D	ate		February 1	February 19, 2002			
101112004	F	irst Na	med In	ventor	Wolfgang	Wolfgang SCHEIBE			
Effective 10/01/2003. Patent fees are subject to annual revision.						Thach Bui			
☐ Applicant claims small entity status. See 37 CFR 1.27	Α	Art Unit 3752							
TOTAL AMOUNT OF PAYMENT (\$) 110.00	Α	Attorney Docket No. 010816.50684							
METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)								
☑ Check ☐ Credit Card ☐ Money ☐ Other ☐ None	3 Д	DDITI	ONALE			1011 (continue			
Order Deposit Account: Deposit Account 05-1323 Number	3. ADDITIONAL FEES Large Entity Small Entity							Fee Paid	
Deposit Account Crowell & Moring LLP	Fee Code		Fee Code	Fee (\$)		Fee Description			
Name The Director is authorized to: (check all that apply)	1051	130	2051	65	Surcharge – late fi	ling fee or oath			
☐ Charge fee(s) indicated below Charge any deficiency or credit	1052	50	2052	25	Surcharge – late p cover sheet				
any overpayments to the deposit account of the undersigned. Attorney Docket No. 010816.50684	1053	130	1053			over sneet on-English specification			
	1812	2,520	1812		For filing a request		mination		
	1804	920*	1804	920*	Requesting publication action	ation of SIR prior to			
to the above-identified deposit account.	1805	1,840	1805	1,840*	*Requesting publication	Requesting publication of SIR after examiner action			
FEE CALCULATION	1251	110	2251		Extension for reply within first month			\$110.00	
1. BASIC FILING FEE Large Entity Small Entity	1252	420	2252		Extension for reply		nth		
Fee Fee Fee Fee Description Foo Boid	1253	950	2253	475	Extension for reply	within third month	1		
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	1254	1,480			Extension for reply		th		
1002 340 2002 170 Design filing fee	1255	2,010	2255		Extension for reply	within fifth month			
1003 530 2003 265 Dign 600	1401 1402	330 330	2401 2402		Notice of Appeal				
1004 770 2004 385 Reissue filing fee	1403	290	2402		Filing a brief in sup				
1005 160 2005 80 Provisional filing fee	1451	1,510			Request for oral he	•	nodina		
OUDTOTAL (C)	1452	110	2452			tition to institute a public use proceeding tition to revive – unavoidable			
SUBTOTAL (1)	1453	1,330	2453		Petition to revive -				
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1501	1,330	2501		Utility issue fee (or				
Fee from Extra Claims below Fee Paid	1502	480	2502	240	Design Issue fee	•			
, , , , , , , , , , , , , , , , , , ,	1503	640	2503	320	Plant issue fee				
писр3 - х =	1406	130	1460	130	Petitions to the Cor	mmissioner			
	1807	50	1807	50 1	Processing fee und	ler 37 CFR 1.17(q))		
	1806	180	1806		Submission of Info				
Fee Fee Fee <u>Fee Description</u>	8021	40	8021	1	Recording each pa property (times nur	nber of properties)			
1202 18 2202 9 Claims in excess of 20	1809	770	2809	385 I	Filing a submission (37 CFR § 1.129(a)	after final rejection))	n		
1201 86 2201 43 Independent claims in excess of 3 1203 290 2203 145 Multiple dependent claim, if not paid	1810	770	2810		For each additional examined (37 CFR				
1204 86 2204 43 ** Reissue independent claims	1801	770	2801		Request for Continu		RCE)		
over original patent 1205 18 2205 9 ** Reissue claims in excess of 20	1802	900	1802	900 8	Request for expedi	ted examination			
and over original patent	Other f	ee (enc	cifu)	·	of a design applicat			-	
30B101AE(2)\$		Other fee (specify) Reduced by Basic Filing Fee Paid			Paid	SUBTOTAL (3) (\$)	\$110.00	
of number previously paid, if greater, Por Reissues, see above.							, (*)		
SUBMITTED BY		lia - A'			Complete (if app	licable)			
		stration No. mey/Agent) 44,420			10	Telephone	202-624-	2500	
Signature Song WARNING: Valid mation on this form may be		Dal				Date	Date June 2, 2004		

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

: 10/049,843

Confirmation No.: 2328

Applicant

: Wolfgang SCHEIBE, et al.

Filed

: February 19, 2002

TC/A.U.

Examiner

: 3752 : Thach H. BUI

Docket No.

: 842FR/50684

Customer No.

: 23911

Title

: INJECTION VALVE FOR A COMBUSTION ENGINE

REPLY

Mail Stop FEE AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office action of February 5, 2004, please amend the aboveidentified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.

Applicant hereby requests that the period to take action in the above-captioned application be extended by one month pursuant to the provisions of 37 C.F.R. 1.136(a). A check in the amount of \$110.00 is submitted herewith in payment of the required extension fee. The Commissioner is authorized to charge any deficiency, or credit any overpayment, to Deposit Account No. 05-1323 (CAM #010816.50684US).

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace an prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (currently amended) An injection valve for an internal combustion engine comprising: a control valve, which is activated especially electromagnetically and, by means of a valve actuator, alternatively closes off or opens up an opening for the passages of a fluid, which is assigned to a sealing surface and, by these means, controls the pressure in a control pressure space, which is connected with the passage opening, the valve actuator, in addition to an actuator sealing surface, which acts together with the sealing surface of the opening for the passage of fluid, having an actuator stop surface, which is disposed at a distance from the actuator sealing surface, the valve actuator having a valve rod which, in relation to the distance between the sealing surface and the stop surface of the actuator has an extra length overlength, wherein, during the a closing movement of the valve actuator, the extra length overlength is taken up by the an elastic deformation of the valve rod.
- 2. (previously presented) The injection valve of claim 1, wherein the stop surface of the actuator is significantly larger than the sealing surface.
- 3. (previously presented) The injection valve of claim 1, wherein the valve actuator is formed with a one-part or a two-part valve rod.
- 4. (previously presented) The injection valve of claim 3, wherein the valve actuator contains a valve body, which touches the front face of the valve rod and contains the sealing surface of the actuator.
- 5. (previously presented) The injection valve of claim 4, wherein the valve body is constructed as a sphere, which interacts with the opening for the passage of fluid, forming a seal.
- 6. (previously presented) The injection valve of claim 3, wherein the sealing surface of the actuator is the front face of the valve rod formed by the valve actuator.

- 7. (previously presented) The injection valve of claim 3, wherein the valve actuator is essentially mushroom-shaped, the stem of the mushroom forming the valve rod and the stop surface of the actuator being an annular collar, concentrically surrounding the valve rod in the region of the mushroom cap.
- 8. (previously presented) The injection valve of claim 3, wherein the valve actuator is divided in a dividing joint into an actuator stop, having the stop surface of the actuator, and a valve rod, which is in operative connection with the sealing surface and the stop of the actuator.
- 9. (previously presented) The injection valve of claim 3, wherein the actuator stop is essentially mushroom-shaped, the stop surface of the actuator being an end face, contacting the valve rod in the region of the foot of the mushroom.
- 10. (previously presented) The injection valve of claim 3, wherein the valve rod is guided axially movably in at least one guide bushing.
- 11. (previously presented) The injection valve of claim 10, wherein a guide bushing is disposed at a small distance from the sealing surface of the actuator.
- 12. (previously presented) The injection valve of claim 3, wherein the length of the valve rod is a multiple of its diameter.
- 13. (previously presented) T he injection valve of claim 1, wherein the sealing surface is formed in the end face of a disk-shaped insert part and adjoins the control pressure space on the side averted from the sealing surface.
- 14. (previously presented) The injection valve of claim 13, wherein the insert part is formed in two parts with a first part, which contains an opening for the passage of fluid and a discharge choke and a second part at the control pressure space side, with a borehole, which connects the control pressure space with an opening for the passage of fluid.
- 15. (previously presented) The injection valve of claim 14, wherein the second part contains an inlet choke, which is connected with the borehole.

- 16. (previously presented) The injection valve of claim 13, wherein the insert part contains an inlet choke in addition to the outlet choke.
- 17. (previously presented) The injection valve of claim 13, wherein the control pressure space is connected with an inlet choke.
- 18. (previously presented) The injection valve of claim 13, wherein the rear end of the valve needle, averted from the nozzle needle seat surface, lies in the control pressure space.
- 19. (previously presented) The injection valve of claim 18, wherein the insert part forms a stop for the valve needle.
- 20. (previously presented) The injection valve of claim 13, wherein the insert part, a centering and holding clamp and a sleeve, in which at least one valve rod and at least one guide bushing with the actuator stop surface is taken up, form a structural unit, which can be pre-adjusted by itself in relation to the protrusion of the valve rod.
- 21. (previously presented) An injection valve for an internal combustion engine comprising:

an opening having a sealing surface;

a stop displaced a distance from the opening; and

an electromagnetical control valve including:

a valve actuator having an opening position and a closing position, the valve actuator including:

an actuator sealing surface that engages the sealing surface of the opening when the valve actuator is at the closing position,

an actuator stop surface that engages the stop when the valve actuator is at the closing position, and

a valve rod disposed between the actuator sealing surface and the actuator stop surface, wherein when the valve actuator is at the closing position, the valve rod is compressed to a length that is shorter than a length of the valve rod when the valve actuator is at the opening position.

•. .

- 22. (previously presented) The injection valve of claim 21, wherein the stop surface of the actuator is significantly larger than the sealing surface.
- 23. (previously presented) T he injection valve of claim 21, wherein the valve actuator is formed with a one-part or a two-part valve rod.
- 24. (previously presented) The injection valve of claim 23, wherein the valve actuator contains a valve body, which is positioned at a front face of the valve rod and contains the sealing surface of the actuator.
- 25. (previously presented) T he injection valve of claim 24, wherein the valve body has the configuration of a sphere.
- 26. (previously presented) The injection valve of claim 23, wherein the sealing surface of the valve actuator is a front face of the valve rod.
- 27. (previously presented) The injection valve of claim 23, wherein the valve rod is axially movably guided in a guide bushing.
- 28. (previously presented) The injection valve of claim 27, wherein a guide bushing is disposed near the actuator sealing surface.
- 29. (previously presented) The injection valve of claim 23, wherein the length of the valve rod is a multiple of its diameter.
- 30. (previously presented) The injection valve of claim 21 further comprising a disk-shaped insert having a first end face that includes the sealing surface, and a second end face adjoining a control pressure space.

- 31. (previously presented) The injection valve of claim 30, wherein the insert has a first part, which includes the opening and a discharge choke, and a second part, which includes a borehole that connects the control pressure space with the opening.
- 32. (previously presented) The injection valve of claim 31, wherein the second part of the insert includes an inlet choke, which is connected with the borehole.
- 33. (previously presented) The injection valve of claim 30, wherein the insert includes an inlet choke.
- 34. (previously presented) The injection valve of claim 30, wherein the control pressure space is connected to the inlet choke.
- 35. (previously presented) The injection valve of claim 30 comprising a valve needle having an end disposed in the control pressure space.
- 36. (previously presented) The injection valve of claim 35, wherein the insert part forms a stop for the valve needle.
- 37. (previously presented) The injection valve of claim 30 further comprising a centering and holding clamp and a sleeve, wherein the insert part, the centering and holding clamp and the sleeve, in which the valve rod and the guide bushing that includes the actuator stop surface are placed, form a structural unit, which can be pre-adjusted in relation to the valve rod.

REMARKS/ARGUMENT

>

Description of amendments

Claims 1-37 are now pending and under examination. Applicant has amended claim 1

to replace the term "overlength" with a more descriptive term "extra length" and to provided

antecedent basis for "the closing movement" and "the elastic deformation of the valve rod."

No new matter has been added.

Interview summary

Applicant's attorney/counsel greatly appreciates the courtesy extended by Examiner

Bui during the course of an interview conducted on May 12, 2004.

In the interview, Applicant's counsel described the structure and operation of the

claimed invention. Applicant's counsel argued that the cited art does not disclose (1) a

sealing surface, (2) an actuator stop surface, which is disposed at a distance from the actuator

sealing surface, (3) a valve rod which, in relation to the distance between the sealing surface

and the stop surface of the actuator has an overlength, wherein, during the closing movement,

the overlength is taken up by the elastic deformation of the valve rod. Examiner asked that

Applicant recites these arguments in this response.

Allowed and allowable claims

Applicant appreciates that the Examiner has indicated claims 16, 20, 33, and 37 would

be allowable if they are rewritten to include all of the limitations of the base claim and any

intervening claims.

Objection to the specification

The Examiner stated that the specification does not contain an abstract. Applicant

respectfully disagrees because an abstract is provided in the international phase of the present

application.

Page 7 of 10

Rejection under 35 U.S.C. §112, second paragraph

Claims 1-20 were rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which Applicant regards as the invention.

Applicant has amended the claims to overcome the rejection (see the amendments to claim 1).

Rejection under 35 U.S.C. §102

Claims 1-15, 17-19, 21-32, and 34-36 were rejected under 35 U.S.C. §102(b) as being anticipated by Baumgartner (U.S. Patent 6,161,813). For the following reasons, Applicant respectfully requests reconsideration and withdrawal of the rejection.

In prior art injection valves, as discussed in the interview and set forth in the background section of the present application, a valve actuator is used to open or close a valve opening to control the injection of fuel into the combustion chambers of the engine. To close the valve opening, a surface of the valve actuator contacts a sealing surface to seal the valve opening. In addition, the sealing surface functions as a stopping surface to stop the movement of the valve actuator towards the valve opening.

As discussed in the background section of the present application, a problem with this conventional arrangement is that the sealing surface and the stopping surface put contradictory demands on the size of the valve actuator's surface. The stopping surface demands a large actuator surface to reduce the impact when the stopping surface of the valve actuator collides with the sealing surface to stop the movement of the valve actuator. On the other hand, the sealing surface requires a small actuator surface to provide better sealing.

As discussed in the interview, the claimed invention solves the problem by providing the injection valve with two separate surfaces: an actuator stop surface (12a) and a sealing surface (13, 17). When the valve is closed, the movement of the valve actuator (12) is stopped by the actuator stop surface (12a). The valve actuator (12) itself does not close the

opening (14a); instead it pushes a valve rod (16) against the sealing surface (13, 17) so that a surface of the valve rod (16) closes the opening (14a).

This new arrangement requires that, when the valve opening (14a) is closed, the valve actuator (12) contacts the stop surface (12a) and the valve rod (16) contacts the sealing surface (13, 17). In order to ensure that when the valve actuator (12) is stopped by the actuator stop surface (12a), the valve rod (16) contacts the sealing surface (13, 17) to close the opening (14a), the valve rod (16) has a free length that is longer than the distance between the actuator stop surface (12a) and the sealing surface (13, 17). When the valve rod (16) is pushed by the valve actuator (12) against the sealing surface (13, 17) to close the opening (14a), the valve rod (16) is compressed so that its compressed length is equal to the distance between the actuator stop surface (12a) and the sealing surface (13, 17); as a result, it is ensured that, when the valve opening (14a) is closed, the valve actuator (12) contacts the stop surface (12a) and the valve rod (16) contacts the sealing surface (13, 17).

These features are not disclosed by Baumgartner. In fact, Baumgartner is exactly the same as prior art. For example, in Baumgartner, the contact between the valve seat (24) and the valve member (25) is used both to stop the movement of the valve member (25) and to seal the valve opening. Further, Baumgartner does not disclose a valve rod (16) that has a free length longer than the distance between an actuator stop surface (12a) and a sealing surface (13, 17) and that, when it is pushed by the valve actuator (12) a gainst the sealing surface (13, 17) to close the opening (14a), is compressed so that its compressed length is equal to the distance between the actuator stop surface (12a) and the sealing surface (13, 17). Therefore, Baumgartner does not anticipate claims 1-15, 17-19, 21-32, and 34-36.

In light of the foregoing remarks, this application is considered to be in condition for allowance, and early passage of this case to issue is respectfully requested. If there are any questions regarding this amendment or the application in general, a telephone call to the undersigned would be appreciated since this should expedite the prosecution of the application for all concerned.

If necessary to effect a timely response, this paper should be considered as a petition for an Extension of Time sufficient to effect a timely response, and please charge any

deficiency in fees or credit any overpayments to Deposit Account No. 05-1323 (CAM # 010816.50684US).

June 2, 2004

Respectfully submitted,

Song Zhu, PM.D.

Registration No. 44,420

Donald D. Evenson

Registration No. 26,160

CROWELL & MORING LLP Intellectual Property Group P.O. Box 14300

Washington, DC 20044-4300

Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844 DDE:SZ:tlm (010816.50684US; 321430) CROWELL & MORING **PROFORMA**

BILLING ATTORNEY: 001316

CLIENT:

MATTER:

010816

010816.50684US

Donald D. Evenson

L'Orange GmbH

New U.S. Patent Application

FEE AND DISBURSEMENTS THROUGH 08/19/04

LAST DATE BILLED 06/03/04 DATE BILLED THRU 06/02/04

BILL CYCLE: R

MATTER OPEN DATE: 01/28/2002

HOURS ,

WORKED

2.60

1.00

PROFORMA JOINT GROUP #

TOTAL FEES THIS PROFORMA

TOTAL DISBURSEMENTS THIS PROFORMA

\$ 1,116.00 343.84

UNALLOCATED CASH TRUST BALANCE

.00

TIME VALUE

THIS PERIOD

806.00

310.00

TOTAL THIS PROFORMA

1,459.84

ON-ACCOUNT BILLS

.00

RUNNING

806.00

1,116.00

TOTAL

PROFESSIONAL SERVICES

ATTORNEY INDEX DATE NAME 3194097

05/25/04

Zhu, S.

3331591 08/11/04 Zhu, S.

DESCRIPTION OF PROFESSIONAL SERVICES Prepare and file sponse No/Office Action; report.

Received telephone call from Examiner regarding whether we had filed response to Office Action of February 5, 2004; checked status of application; telephoned Examiner to advise that response was filed on June 2, 2004; received telephone call from Examiner advising that response was timely filed but Examiner had mistakenly sent Notice of Abandonment; report to client.

pepare + tive

Reg. towopraw

Notice of Alacudored 3.60 \$1,116.00

Mere is another line entry

And A

Crowell & Moring LLP

Att'y Docket:

Today's Date: August 19, 2004

842FR/50684 Wolfgang SCHEIBE, *et al.* 10/049,843

Inventor(s): Serial No.: Filing Date:

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon: February 19, 2002

Request to Withdraw Notice of Abandonment


Copy of Postcard date stamped on June 2, 2004 by the US PTO

 \boxtimes

Copy of June 2, 2004 fee transmittal

Copy of June 2, 2004, Reply to February 5, 2004, Office Action

DDE:SZ:tlm (010816.50684US; 333960)



DUE DATE: August 19, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

10/049,843

Confirmation No.: 2328

• •

Applicant

Wolfgang SCHEIBE, et al.

Filed

February 19, 2002

TC/A.U.

3752

Examiner

Thach H. BUI

Docket No.

: 842FR/50684

Customer No.

: 23911

Title

INJECTION VALVE FOR A COMBUSTION ENGINE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

REQUEST TO WITHDRAW NOTICE OF ABANDONMENT

Sir:

Applicants received a Notice of Abandonment dated August 12, 2004, allegedly for failure to respond to the Office Action of February 5, 2004. However, as noted on the attached copy of the postcard date stamped by the U.S. Patent Office on June 2, 2004, Applicants did properly respond to the Office Action. Accordingly, Applicants request that the Notice of Abandonment be withdrawn.

In order to aid the Examiner, Applicants submit herewith a further copy of the Amendment and Petition for Extension of Time that were previously filed with the U.S. Patent and Trademark Office on June 2, 2004.

In view of the abandonment being the fault of the U.S. Patent and Trademark Office, Applicants respectfully request that the Notice of Abandonment be withdrawn.

Respectfully submitted,

August 19, 2004

Registration No. 44,420

Donald D. Evenson

Registration No. 26,160

CROWELL & MORING LLP Intellectual Property Group P.O. Box 14300 Washington, DC 20044-4300 Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844 DDE:SZ:tlm (010816.50684US; 333954)

Cre. ... ' & Moring LLP

Today's Date: June 2, 2004

Att'y Docket:

842FR/50684

Inventor(s):

Wolfgang SCHEIBE, et al.

Serial No.:

10/049,843

Filing Date: February 19, 2002

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

Reply

in the amount of \$110.00

SZ:tlm (010816.50684US; 321432)



DUE DATE: June 5, 2004



PTO/SB/17 (10-03)

Approved for use through 07/31/2006, OMB 0651-0032

Date

June 2, 2004

Un	der the	Paper	work F	Reduction Act of 1995, n	o persons are req	uired to	respor	U.S.	Patent ollection	t and Tra n of info	demark O	HOALLIC DEDA	DTMENT A	F COMMERCE	
							Complete if Known								
FEE TRANSMITTAL						Application Number 1			10/049,843						
	for FY 2004										February 19, 2002				
	101112004											Wolfgang SCHEIBE			
Effective 10/01/2003. Patent fees are subject to annual revision.					Г					Thach Bui					
☐ Applicant claims small entity status. See 37 CFR 1.27						Art Unit 375									
	TOTAL AMOUNT OF PAYMENT (\$) 110.00						Attorney Docket No. 010816.50684								
METHOD OF PAYMENT (check all that apply)															
☐ Check ☐ Credit Card ☐ Money ☐ Other ☐ None										LGULAI	ION (continue	<u>a)</u>			
☐ Deposi Depo	osit 🗍	nt		Order	1	3. A	3. ADDITIONAL FEES								
Acco Num			5-132	3		Larg	e Entity	Small	Entity						
Depo					/	Fee	Fee	Fee	Fee					Fee Paid	
Acco Name			rowel	& Moring LLP			B (\$)	Code	(\$)		Fee Descr				
		thoriz	ed to:	(check all that apply)		1051		2051	65			ling fee or oath			
☐ Charge	fee(s)	indicat	ed bel	low	ficiency or credit	1052	50	2052	25	Surcha cover s		rovisional filing fe	e or		
Docket No.	. 01081	6.5068	34		signed. Attorney	1053	130	1053	130	Non-E	ıglish specil	ication			
☐ Charge	anv₊ad	ditiona	l fee(s	s) during the pendency o	f this application	1812		1	2,520	For filing a request for ex parte reexamination					
						1804	920*	1804	920*	Reque	sting publication	ition of SIR prior t	0		
Charge to the abo	fee(s) ve-ider	ndicat ntified	ed bel depos	ow, except for the filing sit account.	g fee	1805	1,840	1805	1,840	0*Reque		ation of SIR after			
				CALCULATION		1251	110	2251	55			within first month		\$110.00	
1. BASIC						1252	420	2252	210			within second mo		V. 10.00	
Large <u>Fee</u>	Entity Fee	Fee	Fee	y <u>Fee Description</u>	Eee Deid	1253	950	2253	475			within third month			
Code 1001	(\$) 770	Code 2001	(\$}		Fee Paid	1254	1,480	2254	740	Extensi	on for reply	within fourth mon	th		
1001	340	2002		Utility filing fee Design filing fee		1255	2,010					within fifth month			
1003	530	2003		Plant filing fee		1401	330	2401	165		of Appeal				
1004	770	2004		Reissue filing fee		1402 1403	330 290	2402 2403	165			port of an appeal			
1005	160	2005	80	Provisional filing fee		1451	1,510		145 1.510	•	it for oral he	anng a public use proc	anding		
				CUDTOTAL (4)		1452	110	2452	55			a public use proci unavoidable	eeuing		
				SUBTOTAL (1)		1453	1,330		665			unintentional			
2. EXTRA	4 CLA	IM FE	ES F	OR UTILITY AND R	EISSUE	1501	1,330	2501	665		sue fee (or				
		Ex	tra Cla	Fee from aims below l	ee Paid	1502	480	2502	240	Design	Issue fee	·			
Total Claims	S	-20**	=	x =		1503	640	2503	320	Plant is	sue fee				
Indep.		-3**	=	x =		1406	·130	1460	130	Petition	s to the Con	nmissioner			
Claims						1807	50	1807	50		_	er 37 CFR 1.17(q	•		
Multiple Dep Large Entity		ii Entit		=		1806	180	1806	180			mation Disclosure			
Fee Fee	Fee	Fed	•	Fee Description		8021	40	8021	40	property	ng each pat ' (times num	ent assignment p aber of properties)	er)		
Code (\$) 1202 18	2202			Claims in excess of 20		1809	770	2809	385	Filing a		after final rejectio			
1201 86	2201	43		Independent claims in ex-	cess of 3	1810	770	2810	385		_	invention to be			
1203 290	2203			Multiple dependent claim	•						d (37 CFR				
1204 86	2204	43	1	** Reissue independent cl over original patent	aims	1801	770	2801	385			ed Examination (RCE)		
1205 18	2205	9	•	** Reissue claims in exces and over original pate	s of 20 nt	1802	900	1802	900	Request of a des	for expeditign applicati	ed examination on			
					Other	fee (spe	cify)		•						
or number previously paid, if greater; For Reissues, see above.					*Redu	Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)					\$110.00				
SUBMITTED BY										Comp	lete (<i>if app</i>	licable)	+		
Name (Print	/Type)		C	7hu Dh D - 7		Registra					(
	i ype)		oong	Zhu, Ph.D.		Attome	//Agent) 	44,42	20		Telephone	202-624-2500		
Signature 7000 8									Data						

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

: 10/049,843

Confirmation No.: 2328

Applicant

: Wolfgang SCHEIBE, et al.

Filed

: February 19, 2002

TC/A.U.

: 3752

Examiner Docket No.

: Thach H. BUI : 842FR/50684

Customer No.

: 23911

Title

: INJECTION VALVE FOR A COMBUSTION ENGINE

REPLY

Mail Stop FEE AMENDMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Office action of February 5, 2004, please amend the aboveidentified application as follows:

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

Remarks/Arguments begin on page 7 of this paper.

Applicant hereby requests that the period to take action in the above-captioned application be extended by one month pursuant to the provisions of 37 C.F.R. 1.136(a). A check in the amount of \$110.00 is submitted herewith in payment of the required extension fee. The Commissioner is authorized to charge any deficiency, or credit any overpayment, to Deposit Account No. 05-1323 (CAM #010816.50684US).

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace an prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (currently amended) An injection valve for an internal combustion engine comprising: a control valve, which is activated especially electromagnetically and, by means of a valve actuator, alternatively closes off or opens up an opening for the passages of a fluid, which is assigned to a sealing surface and, by these means, controls the pressure in a control pressure space, which is connected with the passage opening, the valve actuator, in addition to an actuator sealing surface, which acts together with the sealing surface of the opening for the passage of fluid, having an actuator stop surface, which is disposed at a distance from the actuator sealing surface, the valve actuator having a valve rod which, in relation to the distance between the sealing surface and the stop surface of the actuator has an extra length everlength, wherein, during the a closing movement of the valve actuator, the extra length everlength is taken up by the an elastic deformation of the valve rod.
- 2. (previously presented) The injection valve of claim 1, wherein the stop surface of the actuator is significantly larger than the sealing surface.
- 3. (previously presented) The injection valve of claim 1, wherein the valve actuator is formed with a one-part or a two-part valve rod.
- 4. (previously presented) The injection valve of claim 3, wherein the valve actuator contains a valve body, which touches the front face of the valve rod and contains the sealing surface of the actuator.
- 5. (previously presented) The injection valve of claim 4, wherein the valve body is constructed as a sphere, which interacts with the opening for the passage of fluid, forming a seal.
- 6. (previously presented) The injection valve of claim 3, wherein the sealing surface of the actuator is the front face of the valve rod formed by the valve actuator.

- 7. (previously presented) The injection valve of claim 3, wherein the valve actuator is essentially mushroom-shaped, the stem of the mushroom forming the valve rod and the stop surface of the actuator being an annular collar, concentrically surrounding the valve rod in the region of the mushroom cap.
- 8. (previously presented) The injection valve of claim 3, wherein the valve actuator is divided in a dividing joint into an actuator stop, having the stop surface of the actuator, and a valve rod, which is in operative connection with the sealing surface and the stop of the actuator.
- 9. (previously presented) The injection valve of claim 3, wherein the actuator stop is essentially mushroom-shaped, the stop surface of the actuator being an end face, contacting the valve rod in the region of the foot of the mushroom.
- 10. (previously presented) The injection valve of claim 3, wherein the valve rod is guided axially movably in at least one guide bushing.
- 11. (previously presented) The injection valve of claim 10, wherein a guide bushing is disposed at a small distance from the sealing surface of the actuator.
- 12. (previously presented) The injection valve of claim 3, wherein the length of the valve rod is a multiple of its diameter.
- 13. (previously presented) T he injection valve of claim 1, wherein the sealing surface is formed in the end face of a disk-shaped insert part and adjoins the control pressure space on the side averted from the sealing surface.
- 14. (previously presented) The injection valve of claim 13, wherein the insert part is formed in two parts with a first part, which contains an opening for the passage of fluid and a discharge choke and a second part at the control pressure space side, with a borehole, which connects the control pressure space with an opening for the passage of fluid.
- 15. (previously presented) The injection valve of claim 14, wherein the second part contains an inlet choke, which is connected with the borehole.

- 16. (previously presented) The injection valve of claim 13, wherein the insert part contains an inlet choke in addition to the outlet choke.
- 17. (previously presented) The injection valve of claim 13, wherein the control pressure space is connected with an inlet choke.
- 18. (previously presented) The injection valve of claim 13, wherein the rear end of the valve needle, averted from the nozzle needle seat surface, lies in the control pressure space.
- 19. (previously presented) The injection valve of claim 18, wherein the insert part forms a stop for the valve needle.
- 20. (previously presented) The injection valve of claim 13, wherein the insert part, a centering and holding clamp and a sleeve, in which at least one valve rod and at least one guide bushing with the actuator stop surface is taken up, form a structural unit, which can be pre-adjusted by itself in relation to the protrusion of the valve rod.
- 21. (previously presented) An injection valve for an internal combustion engine comprising:

an opening having a sealing surface;

a stop displaced a distance from the opening; and

an electromagnetical control valve including:

a valve actuator having an opening position and a closing position, the valve actuator including:

an actuator sealing surface that engages the sealing surface of the opening when the valve actuator is at the closing position,

an actuator stop surface that engages the stop when the valve actuator is at the closing position, and

a valve rod disposed between the actuator sealing surface and the actuator stop surface, wherein when the valve actuator is at the closing position, the valve rod is compressed to a length that is shorter than a length of the valve rod when the valve actuator is at the opening position.

- 22. (previously presented) The injection valve of claim 21, wherein the stop surface of the actuator is significantly larger than the sealing surface.
- 23. (previously presented) The injection valve of claim 21, wherein the valve actuator is formed with a one-part or a two-part valve rod.
- 24. (previously presented) The injection valve of claim 23, wherein the valve actuator contains a valve body, which is positioned at a front face of the valve rod and contains the sealing surface of the actuator.
- 25. (previously presented) T he injection valve of claim 24, wherein the valve body has the configuration of a sphere.
- 26. (previously presented) The injection valve of claim 23, wherein the sealing surface of the valve actuator is a front face of the valve rod.
- 27. (previously presented) The injection valve of claim 23, wherein the valve rod is axially movably guided in a guide bushing.
- 28. (previously presented) The injection valve of claim 27, wherein a guide bushing is disposed near the actuator sealing surface.
- 29. (previously presented) The injection valve of claim 23, wherein the length of the valve rod is a multiple of its diameter.
- 30. (previously presented) The injection valve of claim 21 further comprising a disk-shaped insert having a first end face that includes the sealing surface, and a second end face adjoining a control pressure space.

- 31. (previously presented) The injection valve of claim 30, wherein the insert has a first part, which includes the opening and a discharge choke, and a second part, which includes a borehole that connects the control pressure space with the opening.
- 32. (previously presented) The injection valve of claim 31, wherein the second part of the insert includes an inlet choke, which is connected with the borehole.
- 33. (previously presented) The injection valve of claim 30, wherein the insert includes an inlet choke.
- 34. (previously presented) The injection valve of claim 30, wherein the control pressure space is connected to the inlet choke.
- 35. (previously presented) The injection valve of claim 30 comprising a valve needle having an end disposed in the control pressure space.
- 36. (previously presented) The injection valve of claim 35, wherein the insert part forms a stop for the valve needle.
- 37. (previously presented) The injection valve of claim 30 further comprising a centering and holding clamp and a sleeve, wherein the insert part, the centering and holding clamp and the sleeve, in which the valve rod and the guide bushing that includes the actuator stop surface are placed, form a structural unit, which can be pre-adjusted in relation to the valve rod.

REMARKS/ARGUMENT

Description of amendments

Claims 1-37 are now pending and under examination. Applicant has amended claim 1 to replace the term "overlength" with a more descriptive term "extra length" and to provided antecedent basis for "the closing movement" and "the elastic deformation of the valve rod." No new matter has been added.

Interview summary

Applicant's attorney/counsel greatly appreciates the courtesy extended by Examiner Bui during the course of an interview conducted on May 12, 2004.

In the interview, Applicant's counsel described the structure and operation of the claimed invention. Applicant's counsel argued that the cited art does not disclose (1) a sealing surface, (2) an actuator stop surface, which is disposed at a distance from the actuator sealing surface, (3) a valve rod which, in relation to the distance between the sealing surface and the stop surface of the actuator has an overlength, wherein, during the closing movement, the overlength is taken up by the elastic deformation of the valve rod. Examiner asked that Applicant recites these arguments in this response.

Allowed and allowable claims

Applicant appreciates that the Examiner has indicated claims 16, 20, 33, and 37 would be allowable if they are rewritten to include all of the limitations of the base claim and any intervening claims.

Objection to the specification

The Examiner stated that the specification does not contain an abstract. Applicant respectfully disagrees because an abstract is provided in the international phase of the present application.

Rejection under 35 U.S.C. §112, second paragraph

Claims 1-20 were rejected under 35 U.S.C. §112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which Applicant regards as the invention.

Applicant has amended the claims to overcome the rejection (see the amendments to claim 1).

Rejection under 35 U.S.C. §102

Claims 1-15, 17-19, 21-32, and 34-36 were rejected under 35 U.S.C. §102(b) as being anticipated by Baumgartner (U.S. Patent 6,161,813). For the following reasons, Applicant respectfully requests reconsideration and withdrawal of the rejection.

In prior art injection valves, as discussed in the interview and set forth in the background section of the present application, a valve actuator is used to open or close a valve opening to control the injection of fuel into the combustion chambers of the engine. To close the valve opening, a surface of the valve actuator contacts a sealing surface to seal the valve opening. In addition, the sealing surface functions as a stopping surface to stop the movement of the valve actuator towards the valve opening.

As discussed in the background section of the present application, a problem with this conventional arrangement is that the sealing surface and the stopping surface put contradictory demands on the size of the valve actuator's surface. The stopping surface demands a large actuator surface to reduce the impact when the stopping surface of the valve actuator collides with the sealing surface to stop the movement of the valve actuator. On the other hand, the sealing surface requires a small actuator surface to provide better sealing.

As discussed in the interview, the claimed invention solves the problem by providing the injection valve with two separate surfaces: an actuator stop surface (12a) and a sealing surface (13, 17). When the valve is closed, the movement of the valve actuator (12) is stopped by the actuator stop surface (12a). The valve actuator (12) itself does not close the

opening (14a); instead it pushes a valve rod (16) against the sealing surface (13, 17) so that a surface of the valve rod (16) closes the opening (14a).

This new arrangement requires that, when the valve opening (14a) is closed, the valve actuator (12) contacts the stop surface (12a) and the valve rod (16) contacts the sealing surface (13, 17). In order to ensure that when the valve actuator (12) is stopped by the actuator stop surface (12a), the valve rod (16) contacts the sealing surface (13, 17) to close the opening (14a), the valve rod (16) has a free length that is longer than the distance between the actuator stop surface (12a) and the sealing surface (13, 17). When the valve rod (16) is pushed by the valve actuator (12) against the sealing surface (13, 17) to close the opening (14a), the valve rod (16) is compressed so that its compressed length is equal to the distance between the actuator stop surface (12a) and the sealing surface (13, 17); as a result, it is ensured that, when the valve opening (14a) is closed, the valve actuator (12) contacts the stop surface (12a) and the valve rod (16) contacts the sealing surface (13, 17).

These features are not disclosed by Baumgartner. In fact, Baumgartner is exactly the same as prior art. For example, in Baumgartner, the contact between the valve seat (24) and the valve member (25) is used both to stop the movement of the valve member (25) and to seal the valve opening. Further, Baumgartner does not disclose a valve rod (16) that has a free length longer than the distance between an actuator stop surface (12a) and a sealing surface (13, 17) and that, when it is pushed by the valve actuator (12) against the sealing surface (13, 17) to close the opening (14a), is compressed so that its compressed length is equal to the distance between the actuator stop surface (12a) and the sealing surface (13, 17). Therefore, Baumgartner does not anticipate claims 1-15, 17-19, 21-32, and 34-36.

In light of the foregoing remarks, this application is considered to be in condition for allowance, and early passage of this case to issue is respectfully requested. If there are any questions regarding this amendment or the application in general, a telephone call to the undersigned would be appreciated since this should expedite the prosecution of the application for all concerned.

If necessary to effect a timely response, this paper should be considered as a petition for an Extension of Time sufficient to effect a timely response, and please charge any

deficiency in fees or credit any overpayments to Deposit Account No. 05-1323 (CAM # 010816.50684US).

June 2, 2004

Respectfully submitted,

Song Zhu, Ph.D.

Registration No. 44,420

Donald D. Evenson

Registration No. 26,160

CROWELL & MORING LLP Intellectual Property Group P.O. Box 14300 Washington, DC 20044-4300

Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844 DDE:SZ:tlm (010816.50684US; 321430)

Crowell & Moring LLP

Today's Date: February 18, 2005

Att'y Docket:

842FR/50684

First Named Inventor: Wolfgang SCHEIBE

Serial No.:

10/049,843

Filing Date:

February 19, 2002

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

Status Request

DDE:SZ:tlm (010816.50684US; 361613)



DUE DATE: February 19, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

: 10/049,843

Confirmation No. :

2328

First Named Inventor

: Wolfgang SCHEIBE : February 19, 2002

Filed

TC/A.U.

3752

Examiner

: Thach BUI

Docket No.

: 842FR/50684

Customer No.

: 23911

Title

: INJECTION VALVE FOR A COMBUSTION ENGINE

STATUS REQUEST

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Our records indicate that we have not received any further correspondence in reference to the above-identified application since August 19, 2004, when we filed our Request to Withdraw Notice of Abandonment. Please advise the undersigned of the status of the application.

It would be appreciated if the undersigned were telephoned in the event there are any questions related to this Request or the application in general.

Respectfully submitted,

February 18, 2005

Song Zhu, Ph.D.

Registration No. 44,420

Donald D. Evenson Registration No. 26,160

CROWELL & MORING LLP Intellectual Property Group P.O. Box 14300 Washington, DC 20044-4300 Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844 DDE:SZ:tlm (010816.50684US; 361611)

Att'y Docket:
First Named Inventor:
Serial No.:
Filing Date: 842FR/50684 Wolfgang SCHEIBE 10/049,843 February 19, 2002

The following has been received in the U.S. Patent & Trademark Office on the date stamped hereon:

Status Request (1 pg.)

DDE:SZ:smw



DUE DATE:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.

: 10/049,843

Confirmation No. :

2328

First Named Inventor

: Wolfgang SCHEIBE: February 19, 2002

Filed

: 3752

TC/A.U. Examiner

: Thach BUI

Docket No.

: 842FR/50684

Customer No.

: 23911

Title

: INJECTION VALVE FOR A COMBUSTION ENGINE

STATUS REQUEST

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Our records indicate that we have not received any further correspondence in reference to the above-identified application since August 19, 2004, when we filed our Request to Withdraw Notice of Abandonment. Please advise the undersigned of the status of the application.

It would be appreciated if the undersigned were telephoned in the event there are any questions related to this Request or the application in general.

Respectfully submitted,

October 21, 2005

Song Zhu Ph.D.

Registration No. 44,420

Donald D. Evenson Registration No. 26,160

CROWELL & MORING LLP Intellectual Property Group P.O. Box 14300 Washington, DC 20044-4300 Telephone No.: (202) 624-2500 Facsimile No.: (202) 628-8844

DDE:SZ:smw

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

		IVAL OF AN APPLITENTIONALLY UNI				Docket Number (Optional) 842FR/50684		
First named inv	entor: W	olfgang SCHEIBE						
Application No.:	10	0/049,834		Art Unit: 3752				
Filed: Februa	ry 19, 2002			Examiner:	Tha	ach Bui		
Title: INJECT	ION VALVE	FOR A COMBUSTION ENGIN	NE					
Attention: Office Mail Stop Petit Commissioner f P.O. Box 1450 Alexandria, VA FAX (571) 273-	ion or Patent 22313-14	S						
NO		ormation or assistance is nation at (571) 272-3282	•	eting this for	m, p	lease contact Petitions		
action by the Ur	nited State od set for	lication became abandons Patent and Trademark reply in the office notice	c Office. The date or action plus an e	of abandon xtensions o	men f tim	•		
NOTE: A grantable petition requires the following items: (1) Petition fee; (2) Reply and/or issue fee; (3) Terminal disclaimer with disclaimer fee - required for all utility and plant applications filed before June 8, 1995; and for all design applications; and (4) Statement that the entire delay was unintentional.								
		(37 CFR 1.17) entity – fee \$ <u>1,500.00</u>			ntity	status. See 37 CFR 1.27.		
		d/or fee to the above-not Reply	ted Office action in		lenti	fy type of reply):		
L _v		een filed previously on <u>Ju</u> losed herewith.	ıne 2, 2004					
B. Th	has be	e and publication fee (if a en paid previously on osed herewith.	applicable) of \$	•	•			
			[Page 1 of 2]					

This collection of information is required by 37 CFR 1.137(b). The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Petition, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/64 (04-07)
Approved for use through 09/30/2007. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Terminal disclaimer with disclaimer fee						
Since this utility/plant application was filed o	on or after June 8, 1995, no terminal disclaimer is required.					
for other than a small entity) disclaiming the	37 CFR 1.20(d)) of \$ for a small entity or \$ e required period of time is enclosed herewith (see					
filing of a grantable petition under 37 CFR 1.137(Trademark Office may require additional informat abandonment or the delay in filing a petition under subsections (III)(C) and (D)).]	ired reply from the due date for the required reply until the (b) was unintentional. [NOTE: The United States Patent and ation if there is a question as to whether either the ler 37 CFR 1.137(b) was unintentional (MPEP 711.03(c), WARNING:	b				
	rsonal information in documents filed in a patent application that	t max				
contribute to identity theft. Personal information such numbers (other than a check or credit card authorization the USPTO to support a petition or an application. If this USPTO, petitioners/applicants should consider redacting to the USPTO. Petitioner/applicant is advised that the reof the application (unless a non-publication request in color of a patent. Furthermore, the record from an abandone referenced in a published application or an issued patent	as social security numbers, bank account numbers, or credit form PTO-2038 submitted for payment purposes) is never require type of personal information is included in documents submitted g such personal information from the documents before submitting record of a patent application is available to the public after public ompliance with 37 CFR 1.213(a) is made in the application) or issued application may also be available to the public if the application (see 37 CFR 1.14). Checks and credit card authorization forms in the application file and therefore are not publicly available.	t card to the them cation uance tion is				
Well Marker 11	05/15/2007					
Signature /	Date	_				
Robert L. Grabarek, Jr.	40,625					
Typed or printed name	Registration Number, if applicab	le				
P.O. Box 14300	(202) 624-2500					
Address	Telephone Number					
Washington, D.C. 20044-4300						
Address						
Enclosures: Fee Payment						
√ Reply						
Terminal Disclaimer Form						
Additional sheets containing sta	atements establishing unintentional delay					
Other:		-				
CERTIFICATE OF MAILIN	NG OR TRANSMISSION [37 CFR 1.8(a)]					
I hereby certify that this correspondence is beir	* * * * * * * * * * * * * * * * * * * *					
	stal Service on the date shown below with sufficient					
Patents, P. O. Box 1450, Alexandria,	elope addressed to: Mail Stop Petition, Commissioner for					
	shown below to the United States Patent and Trademark					
Office at (571) 273-8300.						
Date	Signature					
	Typed or printed name of person signing certificate	İ				
	,, , , , , , , , , , , , , , , , , , ,					